

Data sheet Configuration for SPI

Drawings, reports and datasheets

Summary

This TecSurge service delivers customised instrument datasheet forms for SmartPlant Instrumentation (SPI), developed to match industry standards and customer specific requirements.

THE Doc Contract SERVCE SERVCE Process Fluid Cont Press PC Contract Doc Rea Und Num. Flow Num. Flow Doc Rea Under Neuron Under Neuron Num. Flow Doc Rea Under Neuron Under Neuron Under Neuron Doc Neuron Num. Flow Under Neuron Under Neuron Doc Neuron Num. Flow Under Neuron Under Neuron Travia X Under Neuron Under Neuron Resolution Sinth Glass Sinth Glass Under Neuron Sinth Glass Num. Flow Num. Flow Num. Flow Sinth Glass Num. Flow Num. Flow Num. Flow Sinth Glass Num. Flow Num. Flow Num. Flow	PRI		DATA SHEET DATA SHEET SPEC					
Process Field One Process Field Francham URX Nov. Flow Nov. Flow Nov. Flow Francham URX Nov. Flow Nov. Flow Nov. Flow Nov. Flow Francham URX Nov. Flow Nov. Flow Nov. Flow Nov. Flow Code Pressore Nov. Flow Nov. Flow Nov. Flow Nov. Flow Density Size, Cov. / MAL VM - - - Vectory / Specific Next Ratio - - - Trans Ratio X ////////////////////////////////////	CONTRACT							
For Brain -								
Image Pressure Image Pressure Image Pressure <td< td=""><td>Fou Rate</td><td>Units</td><td>Max. Flow</td><td>Norm: Flow</td><td>Min. Flow</td><td>Shut-Off</td><td></td></td<>	Fou Rate	Units	Max. Flow	Norm: Flow	Min. Flow	Shut-Off		
Unit in transition Image: Second	Inlet Pressure	t i	ŧ	t	1 1			
Descriptions Construction	E Outlet Pressure	-	-	-	1 1			
Viscosity / Specific Hass Bato - Plact Sport Persume - Package Circle -			-		-			
Program o Program s Program dial Particular dial <td>N Viscosity / Specific Heats Ratio</td> <td></td> <td></td> <td></td> <td>8</td> <td></td> <td></td>	N Viscosity / Specific Heats Ratio				8			
Travel s /// /// /// /// Advante dBA dBA /// /// /// /// Advante 0 /// /// /// /// /// Advante 0 /// /// /// /// /// Past Low Instanton 0 /// /// /// /// /// /// * Station State 0 /// /// /// /// /// /// /// * Station State 0 /// /// /// /// /// /// /// /// <								
Research // Predicted dBA // // // // Pipe Line Size In 5 1 Type 1 Type 1		- ·	-	-	+ +			
Proje Max 4 Schools Out 9 Schools Net 9 Schools			1	7	T z - 1	-		
d Standak Dot Fit Fit Standak Di * Standak Maximum Standak			L		1 1			
Pipe Due Noutrion Fiss Eff Available * State Partie Point Point Point * Sea Partie Point Point Point Point * Sea Partie Point Point Point Point Point * Sea Partie Point		-				2		
Size PMI Class 67 Sirey Action OpenClose Max Pression 7 60 ************************************	Ppe Line Insulation							
Size PMI Class 67 Sirey Action OpenClose Max Pression 7 60 ************************************	* Type					dulating		
• Mark R Aboda 7 60 * Main Repaired Pressure • Body/Room Reliat 60 Available Kroppty Pressure • Body/Room Reliat 61 Main Main • Body/Room Reliat 70 * Reliat Reliat Main • Type Room 60 * Type Room Main • Stand Marcell 70 * On Indiage Reliat Norther Main • Stand Marcell 70 * On Indiage Reliat Main • Type Room Reliat Travel * On Indiage Reliat Main • Charchardentation * Anato	* Size ANSI Class	_					_	
* Body Stock Medi Mo * Line March 10 Mo * Type of Bronds Mo * Type i Mo * Sam Characteristo Y * Sam Characteristo <		- A					1	
End In Constant Part State F Constant Out 64 Handheel Type F Erborn American 64 Handheel Type F F * Type of Bonnet 67 Mayer Signal F F * State Reed Taxwit 72 * On Damodetristic F F * State Reed Taxwit 72 * On Damodetristic F	E * Body/Bonnet Natl						_	
Consection Out OD OD PS pace Finith 66 Accusor Consection * PS pace Finith 66 Accusor Consection * * Too Decide 60 Mod State * * Type * * * * * Type * * * * * Type * * * * * * Type * * * * * * Same Meteria 70 * * * * * Same Meteria 71 *					Ma			
Pig Fase Frich 64 Haddhels Type End Er / Mereini 66 Ar Falux Mue * Type of Bronds 67 1 Status Alle 68 * Type of Bronds 69 * Type of Bronds 71 * Status Meetral 72 * Status Meetral 73 * Status Meetral 73 * Status Meetral 74 * Status Meetral 74 * Status Meetral 75 * Status Meetral 76 * Status Meetral 77 * Status Meetral 77 * Status Meetral 77 * Status Meetral 77					tion	1		
* Prod Decision 60 * Type of Decision 60 * Usb & for Mare 60 * Baking Materia 60 * Sala Materia 70 * Sala Materia 71 * Sala Materia 72 * Sala Materia 72 * Sala Materia 72 * Sala Materia 73 * Sala Materia 74 * Sala Materia 74 * Sala Materia 74 * Sala Materia 77 * Sala Materia								
** Type Paper Booket OT Paper Booket ** Facking Meteria 00 ** Type 7 ** Type 7 ** On Characteristic 7 * See Reed Tavel 7 ** On Characteristic 9 * State Reed Tavel 7 ** On Characteristic 9 * State Reed Tavel 7 ** On Characteristic 9 * State Out of the State 7 ** On Characteristic 9 * State Out of the State 7 ** On Characteristic 9 * State Reed Tavel 7 ** On Characteristic 9 * State Courter / Reing	End Ext / Material		65 4					
Lub. B. to: Noive Jube 60 0 1 Type * Pasking Meeters 70 * On hor Signal Opping hor/Dear 2 * Type 70 * On hor Signal Opping hor/Dear 3 * Type 70 * On hor Signal Opping hor/Dear 3 * Type 70 * On hor Signal Opping hor/Dear 3 * Opping entries 70 * On hor Signal Opping hor/Dear 3 * Opping entries 77 * Antion Or Nets 7 * Start CV FL 10 Opping entries 7 * Start Meetal 77 * Astanton Parts 9 9 * Start Meetal 77 * Astanton Parts 9 9 * Start Meetal 77 * Astanton Parts 9 9 * Start Meetal 77 * Astanton Parts <t< td=""><td></td><td></td><td></td><td>and Classed</td><td></td><td></td><td>_</td></t<>				and Classed			_	
* Packing Neteria Point * Mill & Model 7 * Packing Type 71 * Signal Cate Income Pipper * Type Rated Tarvel 72 * Can Characteristic Pipper * Object Point Point Point Point Point * Object Point Point Point Point Point Point * Object Point							_	
* Type 71 Googet (bigget * Type Reled Taxvel 72 * Can Characteristic * Obarcettrio 74 Type Ouarettry * Dependence 77 A cause of hold 7 * Payof Ball Cisk Merical 77 A cause of hold 7 * Payof Ball Cisk Merical 77 A cause of hold 7 * Seen Material 70 * Set Merical 7 * Seen Material 70 * Set Merical 7 * Seen Material 70 * Set Merical 7 * Ball 70 * Set Merical 7 * Seen Material 70 * Set Merical 7 * Set Merical 7 * Set Merical 7 * Set Merical 7 * Set Merical	T * Packing Materia		69 1 *	39 T MFR & Model 7				
1 Type 72 * Can Observents: • See Arraysettis: 74 Type Duarsterits: • Outpracentis: 74 Type Duarsterits: • Balanced / Ubsilinger 74 Type Duarsterits: • Page / Pad/ Dis Makeal / 101 77 - Acutor Proces • See Material 77 - Acutor Proces	* Packing Type		70 7	On Incr Signal	Output Inor/Decr			
* Size Rated Taxed 72 * Variable Outractery * Oblight O	* Trope					pass		
* Batel CV / FL IfT 75 * With 6 Model 7 * Failed CV FL IfT 77 * Acuton Ports * Gast Merid 77 * Acuton Ports	* Size Rated Travel		73 "		_			
* Face CV FL INT 70 Constats / Raing * Pupy fabric/Netrical 70 * Anno Portes						Quantity		
* Page (but) (bit) Maketal 77 * Actuation Fores - * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * MB FS Model // * Sack Marketal 70 * Sack Marketal // * Sack Marketal 70 * Sack Marketal // * Sack Marketal 70 * Sack Marketal // * MB FS Model 7 * Sack Marketal // * Sack Marketal 70 * Sack Marketal // * Sack Marketal 70 * Sack Marketal // * Sack Marketal <td< td=""><td>T Balanced / Unbalanced</td><td>NT.</td><td></td><td></td><td></td><td>/</td><td>-</td></td<>	T Balanced / Unbalanced	NT.				/	-	
** * Sex Matrial 70 ** ** *	Plug/ Ball/ Disk Material	~ _					_	
* Stem Material 00 * Ste Presize 92 * 0auge 92 * 0auge 92 * * 92 * * 93 * * 84 * * 84 * * 84 * * 84 * * 85 * * 86 * * 86 * * 86 * * 87 * * 88 * * 89 * * 89 * * 89 * * 89 * * 80 * * 80 * * 80 * * 81 * * 81 * * 81 * *	Seat Material				-			
Of a Flar Souge NEC Class Group Div B3 - </td <td></td> <td></td> <td></td> <td colspan="5"></td>								
NEC Clars Group Div 63 // Mydro 84 Assist Clarkage Clars	0 * Stern Material							
en e								
Per Date Description Org. App		Div			an Class			
Per Date Description Orig App				WONT OF LEAKS	ige class			
			Rev.	Date	Description	n Orig.	App	
							-	
	6 8							

Example SPI data sheet specification page

Differentiators

- Extensive experience with the SmartPlant Instrumentation application, database and query language
- Technical expertise with the PowerBuilder development environment
- End-to-end solution, inclusive of data updates to

Challenges

The SmartPlant Instrumentation software is delivered with only a single instrument datasheet template which typically requires additions and modifications in order to match project or client requirements.

Customising such templates requires a detailed understanding of the SPI database structure and its database query language. In addition, the development work requires a license and knowledge of the InfoMaker software platform, specialised costs which are difficult to justify with infrequent use. InfoMaker is used to customise datasheets, if more functions are required.

Deliverables

Under this service, TecSurge typically delivers the following:

Datasheet Customisation

- Customised instrument specification page in .psr format¹
- Customised instrument form²
- Field mapping matrix containing the database location of the instrument attribute.

Datasheet Modification

- Modified instrument specification page¹
- Modified instrument form²
- Modified field map matrix
- Realigned data for affected fields

Notes:

¹Default deliverable when Intools/SPI DB backup is not required.

²Available only when Intools/SPI DB backup is source and handover format. A form is a collection of instrument pages, such as multiple

TecSurge Pte Ltd

(Co. Reg. 200818750C) T +65 6562 7980 18 Boon Lay Way #10-135 TradeHub 21 Singapore 60<u>9966</u>



specification pages, a process page and a notes page.

Work Process

TecSurge's work process for this service consists of the following general steps:

- 1. Define target format
- 2. Define field mapping matrix
- 3. Develop additional views
- 4. Import specification pages
- 5. Develop specification form
- 6. Test
- 7. Align existing fields (if required)

Quality Assurance

All instrument datasheet specification pages developed are provided together with the mapping report to verify that each property is set correctly. The functionality of the specification is verified by creating test instruments and examining the resulting database records.

Getting Started

In order to estimate the schedule and cost for this service, we require the following information:

What is the quantity of instrument datasheets to be customised?

Why: The quantity of datasheets is directly proportional to the man-hour requirement.

What is the database server and SPI version required?

Why: TecSurge will utilise the identical SPI software version and database platform as the end customer, in order to guarantee a 100% compatible delivery.

If this service describes your situation, and you're able to provide the engineering inputs and answers to the questions listed here, <u>contact us</u> today for a quotation.

Contact us

info@tecsurge.com

TecSurge Pte Ltd (*Co. Reg. 200818750C*) T +65 6562 7980 18 Boon Lay Way #10-135 TradeHub 21 Singapore 609966

